



OPERATING ROOM **ESSENTIALS**

THE COMPLETE
SOLUTION
YOU CAN TRUST



Laparoscopic Access **Catalogue**

July 2016

Medtronic
Further, Together

CONTENTS

	VERSAONE™ TROCARS	3
	UNIVERSAL CANNULAS	6
	BLADELESS TROCARS	7
	OPTICAL TROCARS	10
	SILS™ PORT	11
	THORACIC ACCESS	13
	REPOSABLE TROCARS	14
	ACCESSORIES	17
	SURGISLEEVE™ WOUND PROTECTOR	18
	CLEARIFY™ VISUALIZATION SYSTEM	19
	ORDER INFORMATION	20

VERSAONE™ TROCARS

One complete solution.



Bladeless



Bladed



Optical



Blunt

VersaOne™ Optical Trocars



ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
ONB5STF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	100 mm	6
ONB5SHF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	70 mm	6
ONB5LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	150 mm	6
ONB5STF2C	VersaOne™ Optical Trocar with an Extra Standard Fixation Cannula	5 mm	100 mm	6
ONB11STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
ONB11LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 11 mm	150 mm	6
ONB12STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
ONB12STS	VersaOne™ Optical Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
ONB12SHF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	70 mm	6
ONB12LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
ONB15STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 15 mm	100 mm	6

VersaOne™ Bladed Trocars



ORDER CODE	DESCRIPTION	SIZE	LENGTH	BOX QTY
B5STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 mm	100 mm	6
B5STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 mm	100 mm	6
B5SHF	VersaOne™ Bladed Trocar with Fixation Cannula	5 mm	70 mm	6
B5SHS	VersaOne™ Bladed Trocar with Smooth Cannula	5 mm	70 mm	6
B11STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
B11STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 11 mm	100 mm	6
B12STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
B12STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
B12LGF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
B12LGS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 12 mm	150 mm	6

VersaOne™ Blunt Trocars



ORDER CODE	DESCRIPTION	BOX QTY
BPT12STS	VersaOne™ Blunt 5 mm – 12 mm Standard with Universal Smooth Cannula and Threaded Anchor	3

UNIVERSAL CANNULAS

VersaOne™ Universal Cannula

ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
UNVCA5STF	VersaOne™ Universal Fixation Cannula	5 mm	100 mm	6
UNVCA5SHF	VersaOne™ Universal Fixation Cannula	5 mm	70 mm	6
UNVCA5LGF	VersaOne™ Universal Fixation Cannula	5 mm	150 mm	6
UNVCA11STF	VersaOne™ Universal Fixation Cannula	5 – 11 mm	100 mm	6
UNVCA12STF	VersaOne™ Universal Fixation Cannula	5 – 12 mm	100 mm	6
UNVCA12STS	VersaOne™ Universal Smooth Cannula	5 – 12 mm	100 mm	6
UNVCA12LGF	VersaOne™ Universal Fixation Cannula	5 – 12 mm	150 mm	6



BLADELESS TROCARS


















VersaOne™ Bladeless Trocars

ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
NONB5STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	100 mm	6
NONB5SHF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	70 mm	6
NONB5LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	150 mm	6
NONB11STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
NONB12STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
NONB12STS	VersaOne™ Bladeless Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
NONB12SHF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	70 mm	6
NONB12LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
NONB15STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 15 mm	100 mm	6
NONB15LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 15 mm	150 mm	6

VersaStep™ Plus

Single Use Radially Expandable Access System

	ORDER CODE	DESCRIPTION	BOX QTY
	VS070000	VersaStep™ Short Insufflation/Access Needle, 14 Gauge	12
	S100000	Step™ Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Plus Access Systems	10
	VS150000	VersaStep™ Long Insufflation/Access Needle, 14 Gauge	12
	VS100700	VersaStep™ Short Radially Expandable Sleeve	6
	VS101000	VersaStep™ Radially Expandable Sleeve	6
	VS101500	Long Radially Expandable Sleeve	6
	VS100015	VersaStep™ 15 mm Radially Expandable Sleeve	6
	VS100705	VersaStep™ Short 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS101005	VersaStep™ Standard 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS101505	VersaStep™ Long 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS100711P	VersaStep™ Plus Short 11 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS101011P	VersaStep™ Plus Standard 11 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS100712P	VersaStep™ Plus Short 12 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS101012P	VersaStep™ Plus Standard 12 mm Cannula and Dilator with Radially Expandable Sleeve	3
	VS101512P	VersaStep™ Plus Long 12 mm Cannula and Dilator with Radially Expandable Sleeve	3



ORDER CODE	DESCRIPTION	BOX QTY
VS101015P	VersaStep™ Plus Standard 15 mm Cannula and Dilator with Radially Expandable Sleeve	3

Mini Step™

Single Use Radially Expandable Access System



ORDER CODE	DESCRIPTION	BOX QTY
S110000	Step™ Short Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Access System	10
S100000	Step™ Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Access System	10
S101000	Step™ Radially Expandable Sleeve	10
MS100703	Mini Step™ Short 2 mm/3 mm Cannula and Dilator with Radially Expandable Sleeve	10
MS100708	Mini Step™ Short 7 mm/8 mm Cannula and Dilator with Radially Expandable Sleeve and 7 mm/8 mm – 5 mm Reducer	10

Blunt Tip Trocars

With Fixation Balloon, Latex Free Inflated Balloon 20 ml



ORDER CODE	DESCRIPTION	BOX QTY
OMS-T10BTNL	10 mm Single Use Sterile Blunt Tip Trocar Built-in Converters, Sizes 5 mm and 7 mm/8 mm	5
OMS-T10BTSNL	10 mm Single Use Sterile Blunt Tip Trocar Short Built-in Converters, Sizes 5 mm and 7 mm/8 mm	5
OMS-T12BTNL	12 mm Single Use Sterile Blunt Tip Trocar Built-in Converters, Sizes 5 mm and 10 mm	5



Versaport™

Plus Bladeless Single Use Trocars

ORDER CODE	DESCRIPTION	BOX QTY
NB8STF	VersaOne™ Bladeless 8 mm Standard Trocar with Fixation Cannula	6
NB3SHFLP	VersaOne™ Bladeless 2/3 mm Short LP Trocar with Low Profile Fixation Cannula	6

VersaPort™ Plus RPF (Reduced Penetration Force)

Pyramidal Tip Trocars



ORDER CODE	DESCRIPTION	BOX QTY
179078P	Versaport™ Plus RPF 10-15 mm Trocar with 100 mm radiolucent RPF smooth cannula and 2 universal converters VersaSeal™ Plus 5 mm – 12 mm and 10 mm – 15 mm	3
179078PF	Versaport™ Plus RPF 15 mm Trocar with Fixation Cannula	3

Pediport™/Dexide™

Single Use Trocars



ORDER CODE	DESCRIPTION	BOX QTY
240-55	Pediport™ Single Use 5.5 mm Locking Trocar Cannula with Woodford Spike™ Trocar	5

OPTICAL TROCARS

Visiport™ Plus RPF Optical Trocars

Single Use with Universal Seal

ORDER CODE	DESCRIPTION	BOX QTY
176673PF	Visiport™ Plus RPF 5 mm-11 mm Standard Optical Trocar with Fixation Cannula	3
176673P	Visiport™ Plus RPF 5 mm-11 mm Standard Optical Trocar with VersaPort™ Plus RPF Smooth Radiolucent Converterless Trocar Sleeve	3
176674PF	Visiport™ Plus RPF 5 mm-12 mm Standard Optical Trocar with VersaPort™ Plus Fixation Cannula	3
176674P	Visiport™ Plus RPF 5 mm-12 mm Standard Optical Trocar with VersaPort™ Plus RPF Smooth Radiolucent Converterless Trocar Sleeve	3
176773P	Versaport™ Plus RT 11 mm Visiport™ Obturator with Shield and 5 mm Plus Seal	3
176774P	Versaport™ Plus RT 12 mm Visiport™ Obturator with Shield and 5 mm Plus Seal	3



SILS™ PORT

SILS™ Port

The SILS™ Port is indicated for multiple instruments or camera access to the abdominal cavity through a single incision for performing SILS™ procedures. The SILS™ Port is also indicated for transanal use.







ORDER CODE	DESCRIPTION	BOX QTY
SILSPT5TA	SILS™ flexible port With insufflation / smoke evacuation tubing and stopcock	1
	5 mm cannulae Suitable for use with 5 mm instrumentation only	3
	5 mm blunt-tipped obturator	1
SILSPT12TA	SILS™ flexible port With insufflation / smoke evacuation tubing and stopcock	1
	5 mm cannulae	3
	5 mm blunt-tipped obturator	1
	5 mm – 12 mm cannula with VersaSeal™ Plus self adjusting seal Suitable for use with instrumentation ranging from 5 mm – 12 mm	1
	12 mm blunt-tipped obturator	1
	SILSPT15TA	SILS™ flexible port With insufflation / smoke evacuation tubing and stopcock
5 mm cannulae		3
5 mm blunt-tipped obturator		1
	5 mm – 15 mm cannula with VersaSeal™ Plus self adjusting seal Suitable for use with instrumentation ranging from 5 mm – 15 mm	1
	15 mm blunt-tipped obturator	1

NOTE: The SILS™ Port has been designed for use only with the SILS™ Port Components

THORACIC ACCESS

Thoracoport™

Single Use Trocars with Non-conductive Sleeves

ORDER CODE	DESCRIPTION	BOX QTY
 179305	Thoracoport™ 5.5 mm for instrument up to 6 mm, Single Use Trocar, non Conductive Sleeve	12
 179301	Thoracoport™ 10.5 mm for instrument up to 11 mm, Single Use Trocar, non Conductive Sleeve	12
 179303	Thoracoport™ 11.5 mm for instrument up to 12 mm, Single Use Trocar, non Conductive Sleeve	12
 179307	Thoracoport™ 15 mm for instrument up to 16,5 mm, Single Use Trocar, non Conductive Sleeve	12

REPOSABLE TROCARS

VersaStep™ Reposable Access System Single Use Sleeves and Seals

For use with VersaStep™ Reusable Cannula and Dilator



ORDER CODE	DESCRIPTION	BOX QTY
VSR101000	VersaStep™ Radially Expandable Sleeve	6
VSR100005	VersaStep™ Reposable 5 mm VersaSeal™ Plus Seal with Radially Expandable Sleeve	6
VSR100812P	VersaStep™ Plus Reposable 5 mm – 12 mm	6
175770	VersaSeal™ 5 mm Seal	6
175772P	VersaSeal™ Plus 5 mm – 12 mm Seal Only	6

Reusable Needle and Dilators (Standard Length)

For use with Versaport™ RT PowerShield™ Reusable Radiolucent Cannula



ORDER CODE	DESCRIPTION	BOX QTY
VSR110000	VersaStep™ Short Reposable Insufflation/Access Needle 14 Gauge	1
VSR101005	VersaStep™ Reposable 5 mm Titanium Dilator	1
VSR101010	VersaStep™ Reposable 10 mm Titanium Dilator	1
VSR101011	VersaStep™ Reposable 11 mm Titanium Dilator	1
VSR101012	VersaStep™ Reposable 12 mm Titanium Dilator	1

PowerShield™ Reusable Radiolucent Cannulas



ORDER CODE	DESCRIPTION	BOX QTY
177794	Versaport™ RT PowerShield™ 5 mm	1
177801	Versaport™ RT PowerShield™ 5 mm Short (not compatible with VersaStep™ Short Reposable)	1
177797	Versaport™ RT PowerShield™ 10 mm	1
177800	Versaport™ RT PowerShield™ 11 mm	1
177798	Versaport™ RT PowerShield™ 12 mm	1

VersaStep™ Short Reposable Access System Single Use Sleeves and Seals

For use with VersaStep™ PowerShield™ Short Reusable Radiolucent Cannula and Reusable Dilator



ORDER CODE	DESCRIPTION	BOX QTY
VSR100800	VersaStep™ Short Reposable Radially Expandable Sleeve	6
VSR107005	VersaStep™ Short Reposable 5 mm VersaSeal™ with Radially Expandable Sleeve	6
175770	VersaSeal™ 5 mm Seal	6
175772P	VersaSeal™ Plus 5 mm – 12 mm	6

PowerShield™ Short Reposable Radiolucent Cannulas



ORDER CODE	DESCRIPTION	BOX QTY
177805	VersaStep™ PowerShield™ Short 5 mm Reusable Cannula	1
177810	VersaStep™ PowerShield™ Short 10 mm Reusable Cannula	1
177812	VersaStep™ PowerShield™ Short 12 mm Reusable Cannula	1

Versaport™ Plus RT Obturators

Single Use Obturators for use with Titanium Cannulas



ORDER CODE	DESCRIPTION	BOX QTY
179775P	Bluntport™ Plus RT 12 mm Obturator with 5 mm – 12 mm VersaSeal™ Plus and Bluntgrip™ anchoring device	3
176773P	Visiport™ Plus RT 11 mm Obturator with Shield and 5 mm – 11 mm VersaSeal™ Plus	3
176774P	Visiport™ Plus RT 12 mm Obturator with shield and 5 mm – 12 mm VersaSeal™ Plus	3
179100	Versaport™ V² RT 5 mm Short Obturator with 5 mm Seal	3
179101	Versaport™ V² RT 5 mm Obturator with 5 mm Seal	3
179102P	Versaport™ Plus V² RT 11 mm Obturator with 5 mm – 11 mm VersaSeal™ Plus	3
179103P	Versaport™ Plus V² RT 12 mm Obturator with 5 mm – 12 mm VersaSeal™ Plus	3

Versaport™ RT Reusable Titanium Cannulae

For use with the Versaport™ Plus RT Single Use Obturators and Seals





ORDER CODE	DESCRIPTION	BOX QTY
177793	Versaport™ RT 5 mm Short Reusable Titanium Smooth Cannula	1
177773	Versaport™ RT 5 mm Short Reusable Titanium Cannula with Fixation	1
177792	Versaport™ RT 5 mm Reusable Titanium Smooth Cannula	1
177772	Versaport™ RT 5 mm Reusable Titanium Cannula with Fixation	1
177796	Versaport™ RT 10 mm Reusable Titanium Smooth Cannula	1
177776	Versaport™ RT 10 mm Reusable Titanium Cannula with Fixation	1
177790	Versaport™ RT 11 mm Reusable Titanium Smooth Cannula	1
177770	Versaport™ RT 11 mm Reusable Titanium Cannula with Fixation	1
177791	Versaport™ RT 12 mm Reusable Titanium Smooth Cannula	1
177771	Versaport™ RT 12 mm Reusable Titanium Cannula with Fixation	1



ACCESSORIES

Surgineedle™



Single Use Pneumoperitoneum Needles

ORDER CODE	DESCRIPTION	BOX QTY
 172015	Surgineedle™ 120 mm	12
 172016	Surgineedle™ 150 mm Long	12

Reusable Sterilization Trays

ORDER CODE	DESCRIPTION	BOX QTY
 VSRT60000	Sterilization Tray 6 Ports	1
 VSRT90000	Sterilization Tray 9 Ports	1

Dexide™ Endoscopic Solutions

ORDER CODE	DESCRIPTION	BOX QTY
 220-01	Dexide™ Fred™ Anti-Fog Kit	20
 220-50	Dexide™ Fred™ Single Use Anti-Fog Kit Bulk Pack	20
220-70	Dexide™ Fred™ Lite Single Use Alcohol Free Anti-Fog Kit	20
220-90	Endo-Lube™ Seal and Instrument Lubrication Kit	20

SURGISLEEVE™ WOUND PROTECTOR

Maximized Exposure.
Optimized Protection.



SurgiSleeve™ Wound Protector

This is an access device used in open and MIS surgeries to help protect the wound site from contamination and aid in retraction for better visualization.

ORDER CODE	DESCRIPTION	BOX QTY
WPXSM24	Wound Protector Extra Small Incision Size 2–4 cm	5
WPSM256	Wound Protector Small Incision Size 2.5–6 cm	5
WPMD509	Wound Protector Medium Incision Size 5 – 9 cm	5
WPLG914	Wound Protector Large Incision Size 9–14 cm	5
WPLGR914	Wound Protector Large with retraction ring Incision Size 9–14 cm	5
WPXLGR1117	Wound Protector Extra Large with retraction ring Incision Size 11–17 cm	5

CLEARIFY™ VISUALIZATION SYSTEM

Performance you can see,
from start to close.



Clearify™ Visualization System

ORDER CODE	DESCRIPTION	BOX QTY
21-345	Clearify™ Visualization System	10

ORDER INFORMATION

VersaOne™ Trocars – page 3

VersaOne™ Optical Trocars

ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
ONB5STF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	100 mm	6
ONB5SHF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	70 mm	6
ONB5LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 mm	150 mm	6
ONB5STF2C	VersaOne™ Optical Trocar with an Extra Standard Fixation Cannula	5 mm	100 mm	6
ONB11STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
ONB11LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 11 mm	150 mm	6
ONB12STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
ONB12STS	VersaOne™ Optical Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
ONB12SHF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	70 mm	6
ONB12LGF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
ONB15STF	VersaOne™ Optical Trocar with Fixation Cannula	5 – 12 mm	100 mm	6

VersaOne™ Bladed Trocars

ORDER CODE	DESCRIPTION	SIZE	LENGTH	BOX QTY
B5STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 mm	100 mm	6
B5STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 mm	100 mm	6
B5SHF	VersaOne™ Bladed Trocar with Fixation Cannula	5 mm	70 mm	6
B5SHS	VersaOne™ Bladed Trocar with Smooth Cannula	5 mm	70 mm	6
B11STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
B11STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 11 mm	100 mm	6
B12STF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
B12STS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
B12LGF	VersaOne™ Bladed Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
B12LGS	VersaOne™ Bladed Trocar with Smooth Cannula	5 – 12 mm	150 mm	6

VersaOne™ Blunt Trocars

ORDER CODE	DESCRIPTION	BOX QTY
BPT12STS	VersaOne™ Blunt 5 mm – 12mm Standard with Universal Smooth Cannula and Threaded Anchor	3

■ Universal Cannula – page 6

VersaOne™ Universal Cannula

ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
UNVCA5STF	VersaOne™ Universal Fixation Cannula	5 mm	100 mm	6
UNVCA5SHF	VersaOne™ Universal Fixation Cannula	5 mm	150 mm	6
UNVCA5LGF	VersaOne™ Universal Fixation Cannula	5 mm	150 mm	6
UNVCA11STF	VersaOne™ Universal Fixation Cannula	5 – 11 mm	100 mm	6
UNVCA12STF	VersaOne™ Universal Fixation Cannula	5 – 12 mm	100 mm	6
UNVCA12STS	VersaOne™ Universal Smooth Cannula	5 – 12 mm	100 mm	6
UNVCA12LGF	VersaOne™ Universal Fixation Cannula	5 – 12 mm	150 mm	6

■ Bladeless Trocars – page 7

VersaOne™ Bladeless Trocars

ORDER CODE	DESCRIPTION	SIZE	LENGTH	UNITS/BOX
NONB5STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	100 mm	6
NONB5SHF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	70 mm	6
NONB5LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 mm	150 mm	6
NONB11STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 11 mm	100 mm	6
NONB12STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	100 mm	6
NONB12STS	VersaOne™ Bladeless Trocar with Smooth Cannula	5 – 12 mm	100 mm	6
NONB12SHF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	70 mm	6
NONB12LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 12 mm	150 mm	6
NONB15STF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 15 mm	100 mm	6
NONB15LGF	VersaOne™ Bladeless Trocar with Fixation Cannula	5 – 15 mm	150 mm	6

VersaStep™ Plus Single Use Radially Expandable Access System

ORDER CODE	DESCRIPTION	BOX QTY
VS070000	VersaStep™ Short Insufflation/Access Needle, 14 Gauge	12
S100000	Step™ Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Plus Access Systems	10
VS150000	VersaStep™ Long Insufflation/Access Needle, 4 Gauge	12
VS100700	VersaStep™ Short Radially Expandable Sleeve	6
VS101000	VersaStep™ Radially Expandable Sleeve	6
VS101500	Long Radially Expandable Sleeve	6
VS100015	VersaStep™ 15 mm Radially Expandable Sleeve	6
VS100705	VersaStep™ Short 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101005	VersaStep™ Standard 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101505	VersaStep™ Long 5 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS100711P	VersaStep™ Plus Short 11 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101011P	VersaStep™ Plus Standard 11 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS100712P	VersaStep™ Plus Short 12 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101012P	VersaStep™ Plus Standard 12 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101512P	VersaStep™ Plus Long 12 mm Cannula and Dilator with Radially Expandable Sleeve	3
VS101015P	VersaStep™ Plus Standard 15 mm Cannula and Dilator with Radially Expandable Sleeve	3

Mini Step™ Single Use Radially Expandable Access System

ORDER CODE	DESCRIPTION	BOX QTY
S110000	Step™ Short Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Access System	10
S100000	Step™ Insufflation/Access Needle, 14 Gauge Compatible with Step™ and VersaStep™ Access System	10
S101000	Step™ Radially Expandable Sleeve	10
MS100703	Mini Step™ Short 2 mm/3 mm Cannula and Dilator with Radially Expandable Sleeve	10
MS100708	Mini Step™ Short 7 mm/8 mm Cannula and Dilator with Radially Expandable Sleeve and 7 mm/8 mm – 5 mm Reducer	10

Blunt Tip Trocars With Fixation Balloon, Latex Free Inflated Balloon 20 ml

ORDER CODE	DESCRIPTION	BOX QTY
OMS-T10BTNL	10 mm Single Use Sterile Blunt Tip Trocar Built-in Converters, Sizes 5 mm and 7 mm/8 mm	5
OMS-T10BTSNL	10 mm Single Use Sterile Blunt Tip Trocar Short Built-in Converters, Sizes 5 mm and 7 mm/8 mm	5
OMS-T12BTNL	12 mm Single Use Sterile Blunt Tip Trocar Built-in Converters, Sizes 5 mm and 10 mm	5

Versaport™ Plus Bladeless Single Use Trocars

ORDER CODE	DESCRIPTION	BOX QTY
NB8STF	VersaOne™ Bladeless 8 mm Standard Trocar with Fixation Cannula	6
NB3SHFLP	VersaOne™ Bladeless 2/3 mm Short LP Trocar with Low Profile Fixation Cannula	6

VersaPort™ Plus RPF (Reduced Penetration Force) Pyramidal Tip Trocars

ORDER CODE	DESCRIPTION	BOX QTY
179078P	Versaport™ Plus RPF 10-15 mm Trocar with 100 mm radiolucent RPF smooth cannula and 2 universal converters VersaSeal™ Plus 5 mm – 12 mm and 10 mm – 15 mm	3
179078PF	Versaport™ Plus RPF 15 mm Trocar with Fixation Cannula	3

Pediport™/Dexide™ Single Use Trocars

ORDER CODE	DESCRIPTION	BOX QTY
240-55	Pediport™ Single Use 5.5 mm Locking Trocar Cannula with Woodford Spike™ Trocar	5

Optical Trocars – page 11

Visiport™ Plus RPF Optical Trocars Single Use with Universal Seal

ORDER CODE	DESCRIPTION	BOX QTY
176673P	Visiport™ Plus RPF 5 mm-11 mm Standard Optical Trocar with Fixation Cannula	3
176673P	Visiport™ Plus RPF 5 mm-11 mm Standard Optical Trocar with VersaPort™ Plus RPF Smooth Radiolucent Converterless Trocar Sleeve	3
176674PF	Visiport™ Plus RPF 5 mm-12 mm Standard Optical Trocar with VersaPort™ Plus Fixation Cannula	3
176674P	Visiport™ Plus RPF 5 mm-12 mm Standard Optical Trocar with VersaPort™ Plus RPF Smooth Radiolucent Converterless Trocar Sleeve	3
176773P	Versaport™ Plus RT 11 mm Visiport™ Obturator with Shield and 5 mm Plus Seal	3
176774P	Versaport™ Plus RT 12 mm Visiport™ Obturator with Shield and 5 mm Plus Seal	3

SILS™ Port – page 12

The SILS™ Port is indicated for multiple instruments or camera access to the abdominal cavity through a single incision for performing SILS™ procedures. The SILS™ Port is also indicated for transanal use.

ORDER CODE	DESCRIPTION	BOX QTY
SILSPT5TA	SILS™ flexible port with insufflation / smoke evacuation tubing and stopcock	1
	5 mm cannulae Suitable for use with 5 mm instrumentation only	3
	5 mm blunt-tipped obturator	1
SILSPT12TA	SILS™ flexible port with insufflation / smoke evacuation tubing and stopcock	1
	5 mm cannulae	3
	5 mm blunt-tipped obturator	1
	5 mm – 12 mm cannula with VersaSeal™ Plus self adjusting seal Suitable for use with instrumentation ranging from 5 mm – 12 mm	1
	12 mm blunt-tipped obturator	1
SILSPT15TA	SILS™ flexible port with insufflation / smoke evacuation tubing and stopcock	1
	5 mm cannulae	3
	5 mm blunt-tipped obturator	1
	5 mm – 15 mm cannula with VersaSeal™ Plus self adjusting seal Suitable for use with instrumentation ranging from 5 mm – 15 mm	1
	15 mm blunt-tipped obturator	1

Thoracic Access – page 14

Thoracoport™ Single Use Trocars with Non-conductive Sleeves

ORDER CODE	DESCRIPTION	BOX QTY
179305	Thoracoport™ 5.5 mm for instrument up to 6 mm, Single Use Trocar, non Conductive Sleeve	12
179301	Thoracoport™ 10.5 mm for instrument up to 11 mm, Single Use Trocar, non Conductive Sleeve	12
179303	Thoracoport™ 11.5 mm for instrument up to 12 mm, Single Use Trocar, non Conductive Sleeve	12
179307	Thoracoport™ 15 mm for instrument up to 16,5 mm, Single Use Trocar, non Conductive Sleeve	12

Reusable trocars – page 15

VersaStep™ Reusable Access System Single Use Sleeves and Seals

For use with VersaStep™ Reusable Cannula and Dilator

ORDER CODE	DESCRIPTION	BOX QTY
VSR101000	VersaStep™ Radially Expandable Sleeve	6
VSR100005	VersaStep™ Reposable 5 mm, VersaSeal™ Plus Seal with Radially Expandable Sleeve	6
VSR100812P	VersaStep™ Plus Reposable 5 mm – 12 mm	6
175770	VersaSeal™ 5 mm Seal	6
175772P	VersaSeal™ Plus 5 mm – 12 mm Seal Only	6

Reusable Needle and Dilators (Standard Length)

For use with VersaStep™ RT PowerShield™ Reusable Radiolucent Cannula

ORDER CODE	DESCRIPTION	BOX QTY
VSR110000	VersaStep™ Short Reposable Insufflation/Access Needle 14 Gauge	1
VSR101005	VersaStep™ Reposable 5 mm Titanium Dilator	1
VSR101010	VersaStep™ Reposable 10 mm Titanium Dilator	1

ORDER CODE	DESCRIPTION	BOXQTY
VSR101011	VersaStep™ Reposable 11 mm Titanium Dilator	1
VSR101012	VersaStep™ Reposable 12 mm Titanium Dilator	1

PowerShield™ Reusable Radiolucent Cannulas

ORDER CODE	DESCRIPTION	BOX QTY
177794	Versaport™ RT PowerShield™ 5 mm	1
177801	Versaport™ RT PowerShield™ 5 mm Short (not compatible with VersaStep™ Short Reposable)	1
177797	Versaport™ RT PowerShield™ 10 mm	1
177800	Versaport™ RT PowerShield™ 11 mm	1
177798	Versaport™ RT PowerShield™ 12 mm	1

VersaStep™ Short Reposable Access System Single Use Sleeves and Seals

For use with VersaStep™ PowerShield™ Short Reusable Radiolucent Cannula and Reusable Dilator

ORDER CODE	DESCRIPTION	BOX QTY
VSR100800	VersaStep™ Short Reposable Radially Expandable Sleeve	6
VSR107005	VersaStep™ Short Reposable 5 mm VersaSeal™ with Radially Expandable Sleeve	6
175770	VersaSeal™ 5 mm Seal	6
175772P	VersaSeal™ Plus 5 mm – 12 mm	6

PowerShield™ Short Reposable Radiolucent Cannulas

ORDER CODE	DESCRIPTION	BOX QTY
177805	VersaStep™ PowerShield™ Short 5 mm Reusable Cannula	1
177810	VersaStep™ PowerShield™ Short 10 mm Reusable Cannula	1
177812	VersaStep™ PowerShield™ Short 12 mm Reusable Cannula	1

Versaport™ Plus RT Obturators Single Use Obturators for use with Titanium Cannulas

ORDER CODE	DESCRIPTION	BOX QTY
179775P	Bluntport™ Plus RT 12 mm Obturator with 5 mm – 12 mm VersaSeal™ Plus and Bluntgrip™ anchoring device	3
176773P	Visiport™ Plus RT 11 mm Obturator with Shield and 5 mm – 11 mm VersaSeal™ Plus	3
176774P	Visiport™ Plus RT 12 mm Obturator with shield and 5 mm – 12 mm VersaSeal™ Plus	3
179100	Versaport™ V ² RT 5 mm Short Obturator with 5 mm Seal	3
179101	Versaport™ V ² RT 5 mm Obturator with 5 mm Seal	3
179102P	Versaport™ Plus V ² RT 11 mm Obturator with 5 mm – 11 mm VersaSeal™ Plus	3
179103P	Versaport™ Plus V ² RT 12 mm Obturator with 5 mm – 12 mm VersaSeal™ Plus	3

Versaport™ RT Reusable Titanium Cannulae

For use with the Versaport™ Plus RT Single Use Obturators and Seals

ORDER CODE	DESCRIPTION	BOX QTY
177793	Versaport™ RT 5 mm Short Reusable Titanium Smooth Cannula	1
177773	Versaport™ RT 5 mm Short Reusable Titanium Cannula with Fixation	1
177792	Versaport™ RT 5 mm Reusable Titanium Smooth Cannula	1
177772	Versaport™ RT 5 mm Reusable Titanium Cannula with Fixation	1
177796	Versaport™ RT 10 mm Reusable Titanium Smooth Cannula	1
177776	Versaport™ RT 10 mm Reusable Titanium Cannula with Fixation	1
177790	Versaport™ RT 11 mm Reusable Titanium Smooth Cannula	1
177770	Versaport™ RT 11 mm Reusable Titanium Cannula with Fixation	1
177791	Versaport™ RT 12 mm Reusable Titanium Smooth Cannula	1
177771	Versaport™ RT 12 mm Reusable Titanium Cannula with Fixation	1

■ Accessories – page 17

Surgineedle™ Single Use Pneumoperitoneum Needles

ORDER CODE	DESCRIPTION	BOX QTY
172015	Surgineedle™ 120 mm	12
172016	Surgineedle™ 150 mm Long	12

Reusable Sterilization Trays

ORDER CODE	DESCRIPTION	BOX QTY
VSRT60000	Sterilization Tray 6 Ports	1
VSRT90000	Sterilization Tray 9 Ports	1

Dexide™ Endoscopic Solutions

ORDER CODE	DESCRIPTION	BOX QTY
220-01	Dexide™ Fred™ Anti-Fog Kit	20
220-50	Dexide™ Fred™ Single Use Anti-Fog Kit Bulk Pack	20
220-70	Dexide™ Fred™ Lite Single Use Alcohol Free Anti-Fog Kit	20
220-90	Endo-Lube™ Seal and Instrument Lubrication Kit	20

■ SurgiSleeve™ Wound Protector – page 18

This is an access device used in open and MIS surgeries to help protect the wound site from contamination and aid in retraction for better visualization.

ORDER CODE	DESCRIPTION	BOX QTY
WPXSM24	Wound Protector Extra Small Incision Size 2–4 cm	5
WPSM256	Wound Protector Small Incision Size 2.5–6 cm	5
WPMD509	Wound Protector Medium Incision Size 5–9 cm	5
WPLG914	Wound Protector Large Incision Size 9–14 cm	5
WPLGR914	Wound Protector Large with retraction ring Incision Size 9–14 cm	5
WPXLGR1117	Wound Protector Extra Large with retraction ring Incision Size 11–17 cm	5

■ Clarify™ Visualization System – page 19

ORDER CODE	DESCRIPTION	BOX QTY
21-345	Clarify™ Visualization System	10
WPSM256	Wound Protector Small Incision Size 2.5–6 cm	5
WPMD509	Wound Protector Medium Incision Size 5–9 cm	5
WPLG914	Wound Protector Large Incision Size 9–14 cm	5
WPLGR914	Wound Protector Large with retraction ring Incision Size 9–14 cm	5
WPXLGR1117	Wound Protector Extra Large with retraction ring Incision Size 11–17 cm	5

Medtronic



Use scan app to read

For more information, please visit
medtronic.eu/product-catalog

IMPORTANT: Please refer to the package insert for complete instructions, contraindications, warnings and precautions.

© 2016 Medtronic. All rights reserved. Medtronic, Medtronic logo and Further, Together are trademarks of Medtronic.
™* Third party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company.
16-eu-or-essentials-laparoscopic-access-catalogue-965030